


AREA:

TREAD

CONDITION:

Edges of the ribs except the outer edge of the shoulder ribs wearing faster than the tread surface like a riverbed.



CAUSES:

- Under inflation and/or overload.
- Tyres have not been rotated at a timely interval.
- Repeated sharp turns in cornering and frequent, rapid changing of lanes at a high speed. River wear tends to be created in steering or trailer axles.

RECOMMENDATIONS:

- Use tyres under the recommended air pressure and load.
- Rotate tyres timely in accordance with recommended rotations to avoid river wear.
- Avoid rough driving.

HOW TO CHECK:

Inspect the main grooves visually.

